Room 419, Aiyimei Building. No.756 tian tong nan road, Ningbo China 86-574-88255842 86-13857854761 sale03@cnsecurer.com www.secureglove.com





The safety CATAEOGUE,

C 2020-2021 Secure(Ningbo)Industrial Technology Co.,Ltd





COMPANY INTRODUCTION

Secure Gloves is a leading China Manufacturer and supplier of work safety We lived and breathe hand protection.Hand injuries are prevalent in indust environments,but they're also the most preventable workplace injury.whe comes to hand injuries,preventable equals gloves.

Our Customers choose from the industry's largest gloves selection-over 3500 styles. And, if that isn't enough, we'll create something new.we've been making gloves since 1965, and 50+ years later we're still innovating to meet the evolving needs of the industries we serve.

We are a respected source for thousands of customers locally and internationally, Our ability to work alongside our customers is what keeps us an industry favorite.



Gold Supplier Trade Assurance Verified Supplier



INDEX

gloves.	
trial	
en it	

Welding & Hesistant Gloves
Leather Working Gloves
Driver Gloves
Hppe Impact Resistant Gloves
Coated & Dipped Gloves
Chemical Resistant Glove
General Working Gloves
Household Gloves

0	1-	0	8
0	9-	Þ	6
I	7-	2	4
2	5-	3	0
3	1-	3	4
3	5-	3	8
3	9-	4	2
4	3-	4	4

_ _ _

Guidelines for Washing and Maintenance

Washing Guide

Proper cleaning method can ffectively prolong the serice life of the product and the hand protection budget. Many types of prolective gloves are easy to clean, removing everyday dit and contaminants. But depending on the materiol of the gloves, the washing method is also dferent. The floling guld will give a brief introduction to the washing melthods of the Series of SAFETY-INXS gloves.

Anti-cutting series

- Use industrial laundry soap or detergent (non-bleachable)
- Wash with worm water at a temperature not exceeding 40 C
- Wash for 10 minutes. Warm water rinse
- Repeat washing and rinsing ifnecessary Cold water rinse
- Drying or rllig spin drying, maximum temperature 40 C

×Please note whether the washing istruction area of each product is marked machine washable.

General series

- Use industrilal laundry soop or detergent (non-bleachable)
- Wash with warm water at a temperature not exceeding 30 C
- Wash for 10 minutes. Warm water rinse
- Repeat washing and rinsing if necessary. Cold water rinse
- Drying or rlling spin drying. maximum temperature 40 C

× Please note whether the washing instruction area of each productis marked machine washable.

How To Maintain Protective Gloves?

- Agood storoge environment can prolong the senice ile of gloves appropriately Itis recommended to store gloves indry, dark and room temperature environment.
- . For gloves with special functions, such as ecrical insulating gloves, the products shall be tested before use to ensure the use ffectof the products.
- When there is a large amount of chemical residue. please cleanit with appropriate solent, but avoid using crrosve cleaning solution andullydry it after washing.

Note: We do not recommend the use of disposable protective gloves repeatedly in order to proceed from the point of view of safety and hygiene, it is correct to choose the disposable use mode

Standard Guide for Protective Gloves

Personal Protective Equipment (PPE) - Regulation (EU) 2016/425 Key dates in the progression of EU Law relating to PPE:

The PPE Directive 89/686/EEC is repealed with effect from 21 April 2018. The new PPE Regulation (EU) 2016/425 shall apply from 21 April 2018. ECtype- examination crticates isued under Direcive 89/686/EEC shall remain volid until 21 April 2023 unless they expire before that date.

PPE: Definition under the new regulation 2016/425

Categoryl

PPE in this category is designed to protect users against minimal risks. These include as examples: superficial mechanical injury; contact with water or cleaning materials of weak action; contact with hot surfaces not exceeding 50C; damage to the eyes due to exposure to sunlight (other than during observation of the sun); atmospheric conditions that are not of an extreme nature.

Categoryll

Category II includes risks other than those listed in Categories | and I. The fllowing products are included as examples: Safety spectacles and goggles, Industrial helmets and bump caps, hi vibility clothing

Categoryll

PPE filing under this category "includes exclusively the risks that may cause very serious consequences such as death or ireversible damage to health' Risks include: substances and mixtures which are hozardous to health; atmospheres with oxygen deficiency; harmful biological agents; ionising radiation; high-temperature environments the effects of which are comparable to those of an air temperature of at least 100C; low-temperature environments the efects of which are comparable to those of on air temperature of -50 C orless; allig from a height; electric shock and ive working; drowning; cuts by hand-held chainsaws; high- pressre iets; bullet wounds or knife stabs; harmful noise.

EN407 Protective gloves against thermal risks(heat and/ or fire)								A Survey of Standard Performance Levels EN420 (Protective gloves-General requirements and test methods) GB/T 12624-2009							
General requirements (structure, water permeability, harmlessness, PH value anti-static, etc.) Comfort (size, flexibility, etc.) Identification (Packaging Identification, Manufacturer Information, Storage, Washing, Mainten							General requirements (struc Comfort (size, flexibility, etc Identification (Packaging Ide	.)							
N388:2016 (Prote	ective gloves	against med	chanical ris	is) GB 245	541-200	9		EN388:2016 (Prot	ective gloves	against mec	hanical risks) G	B 24541-2	2009		
Thermal performance	Performanc	e Level	1	2	3	4		To other a the set		P	erformance Leve				
Performance levels for	After flame tim	ies(S)	≤20	s10	≤3	≤2		Testing Item	1	2	3	4	5		
urning behaviour test	After glowtim	es(S) 1	No requirement	≤120	≤25	≤5	ABCDEF	Abrasion resistance (Number of rub	s) 100	500	2000	8000		EN388	
rformance levels for contact heat test	Contact Temp	erature (C)	100	250	350	500		Blade cut resistance(Index)	1.2	2.5	5.0	10.0	20.0		
	Threshold time	a (.S)	≥15	≥15	≥15	≥15		Tear strength resistance(N)	10	25	50	75			
erformance levels for convective heat test	Heat transfer i		24	≥7	≥10	≥8		Puncture resistance(N)	20	60	100	150			
erformance levels for radiant heattest	Heat transfer i		≥7	≥20	≥50	≥95				1					
erformance levels for small splashes of olten metal	Number of dro	piets	≥10	≥15	≥25	≥35		EN388:2016							
erformance levels for large quantities of olten metal	Molten iron (g	1	30	60	120	200									
Example The sign X, instead of a number, means that the glove is not designed for the use														-	
xample	that the glove is no			Q	V			TDM: cut resistance(N)	2	5 1	0 15	22	30		
Example	that the glove is no covered by the cor			ABODA		_		TDM: cut resistance(N) Performance Level	2 A	5 1 B (0 15 C D	22 E	30 F	2	
	that the glove is no covered by the cor	responding test		ABEERS				Performance Level	2 A P		0 15 C D		30 F		
	that the glove is no covered by the cor	responding test		ABEEDA					2 A P		0 15 C D		30 F		
N511 (Protective glove	that the glove is no covered by the cor	responding test						Performance Level		В (0 15 C D		30 F		
N511 (Protective glove Performance Level	that the glove is no covered by the cor	old)	2	3		4		Performance Level Impact test		В (0 15 C D		30 F		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W)	es against c	old) 1 0.10≤ITR<0.15	2 0.15≤ITR<(4 0.30≤ITR		Performance Level Impact test		B (0 15 C D NO.2	E	30 F NO.3		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W)	that the glove is no covered by the cor	nesponding test old) 1 0.10≤ITR<0.15 0.025≤R<0.050	2 0.15≤ITR<0 0.050≤R<0			4 0.30≤ITR 0.150≤R		Performance Level Impact test (Mechanical Risk Identificatio	on and Examp	B (oles)		E	F		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration	es against co Fail	nesponding test old) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass	0.050≤R<0					Performance Level Impact test (Mechanical Risk Identification Testing Item	on and Examp	B (oles)	NO.2	E	F NO.3		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration	es against co Fail	nesponding test old) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num reans that the glove is not esigned for the use covered	0.050≤R<0					Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index)	on and Examp NC Lev Lev	B (oles) 0.1 el 3 el 4	NO.2 Level 3 Test not performed	E	F NO.3 Level 3 Level2		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration	es against co Fail	nesponding test old) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num ieans that the glove is not	0.050≤R<0					Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N)	on and Examp NC Lev Lev	B (oles) 0.1 el 3 el 4 el 4	NO.2 Level 3 Test not performed Level1 not achieved	Level1	F NO.3 Level 3 Level2 not achieved		
N511 (Protective glove) Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example	bat the glove is no covered by the cor es against co p Fail Trail	and and and and and and and and	0,050≤R<0 mber, ed by	.100 0.100≤R<				Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N)	on and Examp NC Lev Lev Lev	B (oles) 0.1 el 3 el 4 el 4 el 4	NO.2 Level 3 Test not performed Level1 not achieved Level 3	Level1	F NO.3 Level 3 Level 2 not achieved Level 3		
Example N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example	bat the glove is no covered by the cor es against co p Fail Trail	and and and and and and and and	0,050≤R<0 mber, ed by	.100 0.100≤R<				Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N)	on and Examp NC Lev Lev Lev Lev	B (oles) 0.1 el 3 el 4 el 4 el 3 el 5	D NO.2 Level 3 Test not performed Level 1 not achieved Level 3 Level E	E Level1	F NO.3 Level 3 Level 2 not achieved Level 3 ot performed		
N511 (Protective glove) Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example	es against co p Fail Tim da themical resi	I 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num eans that the glove is not esigned for the use covered the corresponding test istance/Micro Chemica The pen	obial protect al resistance netration time	ion)	three che	0.150≤R emicals in	ABC The	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N)	on and Examp NC Lev Lev Lev Lev Pa	B (oles) 0.1 el 3 el 4 el 4 el 3 el E ss	D NO.2 Level 3 Test not performed Level 1 not achieved Level 3 Level E Test not performed	E Level1 Test n Test n	F NO.3 Level 3 Level 2 not achieved Level 3 ot performed ot performed		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for contract for liquing the index, the worse to the index, the worse to the lower the index, the better	that the glove is no covered by the cor es against co Fail Fail The hemical resi the quality,	I O.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num hears that the glove is not esigned for the use covered he corresponding test istance/Micro Chemica The pen table is a of three	obial protect al resistance netration time > 30 minutes chemicals th	ion) protection of at least t (XYZ stand	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	the tters utes).	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test	on and Examp NC Lev Lev Lev Lev Pa	B (oles) 0.1 el 3 el 4 el 4 el 4 el 3 el E ss EP	D NO.2 Level 3 Test not performed Level 3 Level 3 Level 2 Test not performed	E Level1	F NO.3 Level 3 Level 2 not achieved Level 3 ot performed ot performed		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for contact for liquenetration) crobial protection alified quality standards for liquenetration. e higher the index, the worse to the lower the index, the better Performance Level	that the glove is no covered by the cor es against c Fail Fail The the quality, er the quality, er the quality,	I OID 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num heans that the glove is not esigned for the use covered the corresponding test istance/Micro Chemica The pen table is 3 of three	obial protect al resistance netration time > 30 minutes chemicals th	ion) protection of at least t (XYZ stand	three che ds for the e gloves	0.150≤R emicals in e coded let	the ters utes).	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Po	Ilution Protect	B (oles)	D NO.2 Level 3 Test not performed Level 1 Level 3 Level E Test not performed SX03EX	E Level1 Test n Test n	F NO.3 Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed		
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for lique alified quality standards for lique etration. higher the index, the worse to the lower the index, the bette Performance Level	that the glove is no covered by the cor es against co Fail Fail The hemical resi the quality,	I O.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num hears that the glove is not esigned for the use covered he corresponding test istance/Micro Chemica The pen table is 3 of three A.Metha B.Aceto C.Aceto	obial protect al resistance netration time > 30 minutes chemicals th anol one onitrile	ion) protection of at least t (XYZ stand	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	the tters utes).	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potential Content of State P	Ilution Protect	B (oles)	D NO.2 Level 3 Test not performed Level 1 not achieved Level 3 Level E Test not performed g Radiation Pro	E Level1 Test n Test n Test n	F NO.3 Level 3 Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard)		
V511 (Protective glove Performance Level Convective cold (ITR in m2 KW) Contact cold (R in m2 KW) Nater penetration Example V374 (Standards for constitution alified quality standards for lique etration. higher the index, the worse to the lower the index, the bette Performance Level 1 2	that the glove is no covered by the cor es against co Fail Fail The the quality, er the quality, er the quality, er the quality.	I O.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num hears that the glove is not esigned for the use covered he corresponding test istance/Micro Chemica The pen table is 3 of three A.Metha B.Acetor C.Acetor D.Chlord	obial protect al resistance netration time > 30 minutes chemicals th anol one onitrile	ion) protection of at least t (XYZ stand	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	the ters utes).	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Point	Ilution Protect	B (oles)	D NO.2 Level 3 Test not performed Level 1 Level 3 Level E Test not performed SX03EX	E Level1 Test n Test n Test n	F NO.3 Level 3 Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard)		
ISTA (Protective glove erformance Level convective cold (ITR in m2 K/W) contact cold (R in m2 K/W) Vater penetration ixample ISTA (Standards for control lified quality standards for lique etration. higher the index, the worse to the lower the index, the bette Performance Level 1 2	that the glove is no covered by the cor es against c Fail Fail The mical resi the quality, er the quality, er the quality, er the quality.	I O.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num hears that the glove is not esigned for the use covered he corresponding test istance/Micro Chemica The pen table is 3 of three A.Metha B.Acetor C.Acetor D.Chlord E.Carbor F.Toluen	obial protect al resistance netration time > 30 minutes chemicals th anol one onitrile comethane on disulfide ne	ion) protection of at least t (XYZ stand	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	the ters xyz utes).	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potential Content of State P	Ilution Protect	B (oles)	D NO.2 Level 3 Test not performed Level 1 not achieved Level 3 Level E Test not performed g Radiation Pro	E Level1 Test n Test n Test n	F NO.3 Level 3 Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard)		
V511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Vater penetration Example V374 (Standards for lique etration higher the index, the worse to the lower the index, the bette Performance Level 1 2 3 0 Chemical corrosion resista	that the glove is no covered by the cor es against c Fail Fail the quality, ance of	I 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num heans that the glove is not esigned for the use covered he corresponding test istance/Micro Chemica The pen table is 3 of three A.Metha B.Aceto C.Aceto D.Chloro E.Carbo F.Toluen G.Diethy	obial protect al resistance netration time > 30 minutes chemicals th anol one onitrile omethane on disulfide ne ylamine	ion)	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	the terms $x y z$ utes).	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Pointer Stance) Impact test Example	Ilution Protect	B (oles) ol	D NO.2 Level 3 Test not performed Level 1 not achieved Level 3 Level E Test not performed g Radiation Pro g Radiation Pro (X-ray, a-ray, B	E Level1 Test n Test n Test n tection St oves again -ray, r-ray o	F NO.3 Level 3 Level 3 ot performed ot performed ot performed ot performed st ionizing rac	iation)	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for lique robial protection alified quality standards for lique etration. higher the index, the worse to Performance Level 1 2 3 Chemical corrosion resista	that the glove is no covered by the cor es against c Fail Fail The hemical resi the quality, er the quality, er the quality, er the quality, er the quality.	ald) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num reans that the glove is not esigned for the use covered recorresponding test istance/Micro Chemica The pen table is 3 of three A.Metha B.Aceto C.Aceto D.Chloro E.Carbo F.Toluen G.Diethy H.Oxyhe	obial protect al resistance netration time > 30 minutes chemicals th anol one onitrile omethane on disulfide ne ylamine eterocyclic pe	ion)	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	the tters xxz utes). Time < 10 10 30	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Pointer Stance) Note:CE	Ilution Protect s in direct containces	B (oles) ol	D NO.2 Level 3 Test not performed Level 1 not achieved Level 3 Level E Test not performed g Radiation Pro g Radiation Pro (X-ray, a-ray, B	E Level1 Test n Test n Test n tection St oves again -ray, r-ray o	F NO.3 Level 3 Level 3 ot performed ot performed ot performed ot performed st ionizing rac	iation)	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for contact for lique alified quality standards for lique higher the index, the worse to the lower the index, the better Performance Level 1 2 3 0	that the glove is no covered by the cor es against c Fail Fail hemical resi the quality, er the quality, er the quality, er the quality, er the quality, er the quality, er the quality.	ald) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass he sign X, instead of a num reans that the glove is not esigned for the use covered recorresponding test istance/Micro Chemica The pen table is 3 of three A.Metha B.Acetor C.Acetor D.Chloro E.Carbor F.Toluen G.Diethy H.Oxyhe I.Ethyl a	obial protect al resistance netration time > 30 minutes chemicals th anol one onitrile omethane on disulfide ne ylamine eterocyclic pe acetate	ion)	three che ds for the e gloves	0.150≤R emicals in e coded let > 30 minu	Time < 10 10 30 60	Performance Level Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Performance Sof glover with radioactive substance Sof glover Sof glo	Ilution Protect S in direct contains is a mandatory	B Oles) Oles Oles Oles Oles Oles Oles Oles Oles	NO.2 Level 3 Test not performed Level 3 Level 3 Level 8 Level 8 Test not performed Level 9 A construction of gl (X-ray, a-ray, Basic ark. The products	E Level1 Test n Test n Test n Test n tection St oves again -ray, r-ray o	F NO.3 Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed ot performed st ionizing rac or neutron rad	iation) nanufacturei	

EN407 Protective gloves against thermal risks(heat and/ or fire)							A Survey of Standard Performance Levels EN420 (Protective gloves-General requirements and test methods) GB/T 12624-2009								
General requirements (structure, water permeability, harmlessness, PH value anti-static, etc.) Comfort (size, flexibility, etc.) Identification (Packaging Identification, Manufacturer Information, Storage, Washing, Maintenance)							General requirements (stru Comfort (size, flexibility, etc Identification (Packaging Id	.)							
N388:2016 (Prote	ctive gloves a	gainst mechan	ical risks)	GB 245	541-200	9		EN388:2016 (Prot	ective gli	oves ag	ainst mech	anical risks) G	B 24541-3	2009	
Thermal performance	Performance	Level		2	3	4		The March March		_	Pe	rformance Leve	_		
erformance levels for	After flame times	(S) ≤2	.0	s10	≤3	≤2		Testing Item	1		2	3	4	5	
urning behaviour test	After glowtimes (S) No requ	irement a	≤120	≤25	≤5	ABCDEF	Abrasion resistance (Number of rut	(s) 10).	500	2000	8000		EN388
rformance levels for contact heat test	Contact Tempera	ture (C) 10	/a	250	350	500		Blade cut resistance(Index)	1.3	-	2.5	5.0	10.0	20.0	
The state of the state of the state of the	Threshold time (5) ≥1	5	≥15	≥15	≥15		Tear strength resistance(N)	10		25	50	75	20.0	
erformance levels for convective heat test	Heat transfer inde	ex HTI (S) ≥	ł.	≥7	≥10	≥8		Puncture resistance(N)	20		60	100	150		-
erformance levels for radiant heattest	Heat transfer inde	ex HTI (S) ≥	1	≥20	≥50	≥95	_	i uneture resistance(iv)	20		00	100	150		-
erformance levels for small splashes of olten metal	Number of drople	ts ≥1	0	≥15	≥25	≥35		EN388:2016							
erformance levels for large quantities of olten metal	Molten iron (g)	3	t	60	120	200									
xample	The sign X, instead of that the glove is not de	signed for the use		0	J			TDM: cut resistance(N)	2	E	10	15	22	30	
covered by the corresponding test						DWL CULTESISTATUCE(IV)	4	5	10	10	22	50			
	and a strength							Performance Level	Δ.	D	C.	D	E	E	
								Performance Level	A	В	C	D	E	F	
								Performance Level Impact test	A P	В	C	D	E	F	
								Impact test			s)	D	Ē	F	
N511 (Protective glove			2	3		4					s)	D	Ē	F	
N511 (Protective glove Performance Level			2 0.15≤ITR<0.22	3 2 0.22≤lTR	₹<0.30	4 0.30≤ITR		Impact test (Mechanical Risk Identificati		ample	s)		E	F NO 3	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W)		d) 1 0.10≤ITR<0.15	2 0.15≤ITR<0.22 0.050≤R<0.100	-		4 0.30≤1TR 0.150≤R		Impact test (Mechanical Risk Identification Testing Item		cample NO.1		NO.2		F NO.3	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W)	o Fail	d) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass		-				Impact test (Mechanical Risk Identification Testing Item Abrasion resistance		cample NO.1 Level 3		NO.2 Level 3		Level 3	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration	D Fail The s mean design	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass ign X, instead of a number, s that the glove is not ned for the use covered by		-				Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index)		NO.1 Level 3 Level 4		NO.2 Level 3 Test not performed		Level 3 Level2	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration	D Fail The s mean design	d) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, s that the glove is not		-				Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N)		NO.1 Level 3 Level 4 Level 4		NO.2 Level 3 Test not performed evel1 not achieved	i Level1	Level 3 Level2 not achieved	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example	p Fail The s mean design the co	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, s that the glove is not hed for the use covered by mesponding test	0.050≤R<0.100	0 0.100≤R<				Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N)		NO.1 Level 3 Level 4 Level 4 Level 3		NO.2 Level 3 Test not performed Level 3 Level 3	i Level1	Level 3 Level2 not achieved Level 3	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example	p Fail The s mean design the co	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, s that the glove is not hed for the use covered by mesponding test	0.050≤R<0.100	0 0.100≤R<				Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N)		NO.1 Level 3 Level 4 Level 4 Level 3 Level 3		NO.2 Level 3 Test not performed Level 3 Level 3 Level E	d Level1 Test n	Level 3 Level2 not achieved Level 3 ot performed	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration	p Fail The s mean design the co	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, s that the glove is not hed for the use covered by mesponding test	0.050≤R<0.100	0 0.100≤R<				Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test		Ample NO.1 Level 3 Level 4 Level 4 Level 3 Level 5 Pass		NO.2 Level 3 Test not performed Level 3 Level 3 Level E Test not performed	d Level1 Test n	Level 3 Level2 not achieved Level 3	
N511 (Protective glove Performance Level Convective cold (ITR in m2 KW) Contact cold (R in m2 KW) Water penetration Example N374 (Standards for classical protection alified quality standards for liquinetration.	o Fail The s mean design the co nemical resist the co	d) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, sthat the glove is not ned for the use covered by mesponding test ance/Microbial Chemical res The penetrat table is > 30	0.050≤R<0.100 protection sistance protion time of minutes (X	n) otection fat least ti <yz stand<="" td=""><td>three che</td><td>0.150≤R emicals in t e coded let</td><td>the tters</td><td>Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N)</td><td></td><td>NO.1 Level 3 Level 4 Level 4 Level 3 Level 3</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 3 Level E</td><td>d Level1 Test n Test n</td><td>Level 3 Level2 not achieved Level 3 ot performed</td><td></td></yz>	three che	0.150≤R emicals in t e coded let	the tters	Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N)		NO.1 Level 3 Level 4 Level 4 Level 3 Level 3		NO.2 Level 3 Test not performed Level 3 Level 3 Level E	d Level1 Test n Test n	Level 3 Level2 not achieved Level 3 ot performed	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl crobial protection ualified quality standards for liquinetration. e higher the index, the worse the standard of the stan	es against colo p Fail The s mean design the color ne quality,	d) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass ign X, instead of a number, sthat the glove is not ted for the use covered by responding test ance/Microbial Chemical res The penetrat	0.050≤R<0.100 protection sistance protion time of minutes (X	n) otection fat least ti <yz stand<="" td=""><td>three che</td><td>0.150≤R emicals in t e coded let</td><td>the tters</td><td>Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example</td><td>on and E</td><td>Ample NO.1 Level 3 Level 4 Level 4 Level 4 Level 5 Pass</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 3 Level E Test not performed</td><td>d Level1 Test n Test n</td><td>Level 3 Level 2 not achieved Level 3 ot performed ot performed</td><td></td></yz>	three che	0.150≤R emicals in t e coded let	the tters	Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example	on and E	Ample NO.1 Level 3 Level 4 Level 4 Level 4 Level 5 Pass		NO.2 Level 3 Test not performed Level 3 Level 3 Level E Test not performed	d Level1 Test n Test n	Level 3 Level 2 not achieved Level 3 ot performed ot performed	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl crobial protection ualified quality standards for liquinetration. e higher the index, the worse the difference of the lower the index, the bette	es against colo p Fail The s mean design the color ne quality,	d) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass ign X, instead of a number, sthat the glove is not ned for the use covered by responding test Ance/Microbial Chemical res The penetrat table is > 30 of three cher	0.050≤R<0.100 protection sistance protion time of minutes (X	n) otection fat least ti <yz stand<="" td=""><td>three che ds for the e gloves</td><td>0.150≤R emicals in t e coded let > 30 minut</td><td>the ters ters).</td><td>Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test</td><td>on and E</td><td>Ample NO.1 Level 3 Level 4 Level 4 Level 4 Level 5 Pass</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 3 Level E Test not performed</td><td>d Level1 Test n Test n</td><td>Level 3 Level 2 not achieved Level 3 ot performed ot performed</td><td></td></yz>	three che ds for the e gloves	0.150≤R emicals in t e coded let > 30 minut	the ters ters).	Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test	on and E	Ample NO.1 Level 3 Level 4 Level 4 Level 4 Level 5 Pass		NO.2 Level 3 Test not performed Level 3 Level 3 Level E Test not performed	d Level1 Test n Test n	Level 3 Level 2 not achieved Level 3 ot performed ot performed	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl crobial protection ualified quality standards for lique netration. e higher the index, the worse the d the lower the index, the bette Performance Level	In a gainst color In a second	d) 1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, sthat the glove is not ned for the use covered by mesponding test ance/Microbial Chemical res The penetrat table is > 30	0.050≤R<0.100 protection sistance protion time of minutes (X	n) otection fat least ti <yz stand<="" td=""><td>three che</td><td>0.150≤R emicals in t e coded let > 30 minut</td><td>the ters ters).</td><td>Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potential)</td><td>on and E</td><td>Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 2 Level 2 Test not performed Example 1 Example 1 Ex</td><td>d Level1</td><td>Level 3 Level 2 not achieved Level 3 not performed not performed</td><td></td></yz>	three che	0.150≤R emicals in t e coded let > 30 minut	the ters ters).	Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potential)	on and E	Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass		NO.2 Level 3 Test not performed Level 3 Level 2 Level 2 Test not performed Example 1 Example 1 Ex	d Level1	Level 3 Level 2 not achieved Level 3 not performed not performed	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl alified quality standards for lique hetration. a higher the index, the worse the the lower the index, the bette Performance Level 1	es against colo p Fail The s mean design the color ne quality,	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass ign X, instead of a number, sthat the glove is not ned for the use covered by mesponding test Chemical res The penetrat table is > 30 of three cher A.Methanol B.Acetone C.Acetonitrile	0.050≤R<0.100 protection sistance protection minutes (X nicals that	n) otection fat least ti <yz stand<="" td=""><td>three che ds for the e gloves</td><td>0.150≤R emicals in t e coded let > 30 minut</td><td>the ters ters).</td><td>Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potention)</td><td>on and E</td><td>Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 2 Test not performed Exercise Test not performed Rediation Protection of g</td><td>d Level1 Test n Test n Stection St</td><td>Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard) st ionizing rad</td><td></td></yz>	three che ds for the e gloves	0.150≤R emicals in t e coded let > 30 minut	the ters ters).	Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potention)	on and E	Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass		NO.2 Level 3 Test not performed Level 3 Level 2 Test not performed Exercise Test not performed Rediation Protection of g	d Level1 Test n Test n Stection St	Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard) st ionizing rad	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl crobial protection alified quality standards for liquinetration. e higher the index, the worse the difference Level Performance Level 1 2	Fail Fail The s mean design the co the quality, r the quality, r the quality, r the quality, r the quality.	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass ign X, instead of a number, sthat the glove is not ted for the use covered by responding test Chemical res The penetrat table is > 30 of three cher A.Methanol B,Acetorie	0.050≤R<0.100 protection sistance protection minutes (X nicals that	n) otection fat least ti <yz stand<="" td=""><td>three che ds for the e gloves</td><td>0.150≤R emicals in t e coded let > 30 minut</td><td>the ters ters).</td><td>Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Points)</td><td>on and E</td><td>Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 2 Level 2 Test not performed Example 1 Example 1 Ex</td><td>d Level1 Test n Test n Stection St</td><td>Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard) st ionizing rad</td><td></td></yz>	three che ds for the e gloves	0.150≤R emicals in t e coded let > 30 minut	the ters ters).	Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Points)	on and E	Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass		NO.2 Level 3 Test not performed Level 3 Level 2 Level 2 Test not performed Example 1 Example 1 Ex	d Level1 Test n Test n Stection St	Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard) st ionizing rad	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Vater penetration Example N374 (Standards for cl robial protection alified quality standards for lique etration. higher the index, the worse the the lower the index, the bette Performance Level 1 4 2	In the quality, or the quality, or the quality, or the quality.	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, sthat the glove is not responding test ance/Microbial Chemical res The penetrat table is > 30 of three cher A.Methanol B.Acetone C.Acetonitrile D.Chloromet E.Carbon dis F.Toluene	o.oso≤R<0.100 protection sistance protion time of minutes (X nicals that	n) otection fat least ti <yz stand<="" td=""><td>three che ds for the e gloves</td><td>0.150≤R emicals in t e coded let > 30 minut</td><td>the ters ters).</td><td>Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potention)</td><td>on and E</td><td>Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass</td><td></td><td>NO.2 Level 3 Test not performed Level 3 Level 2 Test not performed Exercise Test not performed Rediation Protection of g</td><td>d Level1 Test n Test n Stection St</td><td>Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard) st ionizing rad</td><td></td></yz>	three che ds for the e gloves	0.150≤R emicals in t e coded let > 30 minut	the ters ters).	Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Potention)	on and E	Anoli Level 3 Level 4 Level 4 Level 4 Level 4 Pass Pass		NO.2 Level 3 Test not performed Level 3 Level 2 Test not performed Exercise Test not performed Rediation Protection of g	d Level1 Test n Test n Stection St	Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed an dard) st ionizing rad	
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl alified quality standards for liquate alified quality standards for liquate higher the index, the worse the the lower the index, the bette Performance Level 1 2 3 Chemical corrosion resista	Ince of	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, sthat the glove is not ted for the use covered by responding test A.Methanol B.Acetone C.Acetonitrile D.Chlorom et E.Carbon dis F.Toluene G.Diethylami	o.oso≤R<0.100 protection sistance protion time of minutes (X nicals that	o 0.100≤R< n) rotection f at least ti ⟨YZ stand penetrate	three che ds for the e gloves	0.150≤R emicals in t e coded let > 30 minut	the ters xyz tes).	Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Performance) Protectiveness of glove with radioactive substa	on and E	cample NO.1 Level 3 Level 4 Level 4 Dass Pass		NO.2 Level 3 Test not performed Level 3 Level 2 Test not performed Exercise Test not performed Radiation Pro Protection of g (X-ray, a-ray, B	d Level1 Test n Test n Test n loves again a-ray, r-ray o	Level 3 Level 2 not achieved Level 3 ot performed ot performed ot performed andard) st ionizing rac or neutron rad	iation)
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl crobial protection alified quality standards for liquate higher the index, the worse the the lower the index, the bette Performance Level 1 2 3 0	s against colo p Fail The s mean design the color Accord resist id Ell level>2 he quality, r the quality.	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, sthat the glove is not ted for the use covered by mesponding test A.Methanol B.Acetone C.Acetonitrile D.Chloromet E.Carbon dis F.Toluene G.Diethylami H.Oxyhetero	o.oso≤R<0.100 protection sistance protion time of minutes (X nicals that hane sulfide	o 0.100≤R< n) rotection f at least ti ⟨YZ stand penetrate	three che ds for the e gloves	0.150≤R emicals in t e coded let > 30 minut	the ters xyz tes). Time < 10 10 30	Impact test (Mechanical Risk Identification Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Performance) Protectiveness of glove with radioactive substance Note:CE "CE" (CONFORMITE EUROPE) to open and enter the European	on and E	cample NO.1 Level 3 Level 4 Level 4 Level 3 Level 8 Pass otectio otectio	n + lonizing certification	NO.2 Level 3 Test not performed Level 3 Level 8 Level 8 Test not performed Radiation Pro Radiation Pro Protection of g (X-ray, a-ray, B	d Level1 Test n Test n Test n Ioves again P-ray, r-ray o	Level 3 Level 2 not achieved Level 3 not performed not performed not performed an dard) st ionizing rac or neutron rad	liation) nanufacturer:
N511 (Protective glove Performance Level Convective cold (ITR in m2 K/W) Contact cold (R in m2 K/W) Water penetration Example N374 (Standards for cl alified quality standards for liquinetration. a higher the index, the worse the index, the bette Performance Level 1 2 3 Chemical corrosion resistation Selected chemicals (AQL<	s against colo p Fail The s mean design the color nemical resist id Fill level>2 he quality, r the quality, r the quality, r the quality, r the quality, r the quality.	1 0.10≤ITR<0.15 0.025≤R<0.050 Pass gn X, instead of a number, sthat the glove is not ted for the use covered by responding test A.Methanol B.Acetone C.Acetonitrile D.Chlorom et E.Carbon dis F.Toluene G.Diethylami	o.oso≤R<0.100 protection sistance protion time of minutes (X nicals that hane sulfide ine cyclic pent	o 0.100≤R< n) rotection f at least ti ⟨YZ stand penetrate	three che ds for the e gloves Performan 0 1 2 3	0.150≤R emicals in t e coded let > 30 minut	the ters xyz ites). Time < 10 10 30 60	Impact test (Mechanical Risk Identification) Testing Item Abrasion resistance Blade cut resistance(Index) Tear strength resistance(N) Puncture resistance(N) TDM: Cut resistance(N) Impact test Example EN421 (Radioactive Performance) Protectiveness of glove with radioactive substa	on and E on and E ollution P s in direct nces ENNE) is market. is a mand	cample NO.1 Level 3 Level 4 Level 4 Level 4 Dass Cotectio Contact	n + lonizing certification	NO.2 Level 3 Test not performed Level 3 Level 3 Level E Test not performed Radiation Pro Radiation Pro Protection of g (X-ray, a-ray, B mark and is rega	d Level1 Test n Test n Ioves again Ioves again Ioves again Ioves again Ioves again	Level 3 Level 2 not achieved Level 3 not performed not performed not performed an dard) st ionizing rac or neutron rad	liation) nanufacturer:



nce Level
4.0
1.5
0.65



-

macl
ance Le
6
_
2
-



Fill 08% Junda


Blue Cow Split Leather Welding With Beige Wing Thumb And Cuff Fully Welted And Lined Gloves



Gold Cow Split Leather Welding With Red Wing Thumn And Cuff Fully Welted And Lined Gloves

SK0003

Red Cow Split Leather Welding Gloves With Kevlar Sewn And Double Leather On One Hand



Golden Premium Side Split **Cowhide Leather Cotton Lined** With Double Reinforced Thumb

Welding & Hesistant Gloves



SK0005

Blue Shoulder Split Leather Cotton Lined Witnged Thumb



Blue Cow Split Leather Welding With Yellow Reinforced Thumb And Back Fully Welted And Lined Gloves

SK0007

Black Cow Split Leather Welding Gloves Economical Grade With Label Fully Lined



Blue Cow Split Leather Welding **Gloves With Yellow Reinforced** Thumb And Fully Lined

SK0006

SK0008



Interaction 250 BH



Beige Cow Split Leather Welding Gloves With Orange Reinforced Thumb And Fully Lined



Blue Cow Split Leather Welding Gloves With Blue Rediforced Thumb And Fully Lined

SK0011

Top Grain Light Brown Cow Leather With Welding Gloves Without Lined




Premium Gold Elkskin Stats Soft Durable Welted Fingers **Reinforced Thumb** Unlined Palm For Dexterity.

Welding & Hesistant Gloves



SK0013

Gray Wedling Cow Split Leather Gunn Patter Wing Thumb Fully Welted &lined



Gray Wedling Cow Split Leather Gunn Patter With Double Wing Thumb Fully Welted &lined

Yellow Cow Split Leather **Double Wing Thumb With** Beige Cuff Without Lined **4inch Split Cuff**



Beige Cow Split Leather Welding Gloves With Fully Lined.

www.secureglove.com



SK0016



Indexit 250 BH


Red Cow Split Welding Leather **Gloves With Fully Lined**



Golden Cow Split Leather With Elastic Ciff 4inch Split Cuff Fullt Lined

SK0019

Yellow Cow Split Welding Leather **Gloves With Wing Thumb** And Fully Lined



Gray Cow Split Welding Leather Gloves With Fully Lined


Welding & Hesistant Gloves







Red Cow Split Welding Leather Gloves With Wing Thumb And Fully Lined



Red Cow Split Welding Leather Gloves With Fully Lined Ab Grade



Fully Featured Welding Gloves Premium Red Black And Pearl Side Split Cowhide With Kevlar Stitched



Light Yellow Cow Split Welding Leather Gloves With Double Wing Thumb And Fully Lined Gunn Pattern



SK0024



Interact 250 BH




Golden Cow Split Welding Leather Gloves With Fully Lined Ab Grade

SK0026

Orange Cow Split Leather Welding Gloves With Full Lined Enonomical Grade

SK0027

Top Grain Pearl Goatskin Leather Seamless Forefinger 4inch Cuff With Kevlar Stitched



Golden Cow Split Leather Double Reinforced Leather Palm Fully Welted Ginger

Welding & Hesistant Gloves



Orange Cow Split Leather Welding Gloves With Double Wing Thumb And Fully Lined



Orange Cow Split Leather Straight Thumb For Best Gun Grip Fleece Lined



Hunter Green Cow Split Leather Welding Gloves Wing Thumb With Full Lined



Lightweight Pearl Cowskin Split Leather Enhances Dexterity Unline 4inch Cuff

www.secureglove.com

SK0030

SK0032



Topgrain Gray Cowhide Split Leather Reinforced Palm And Canvas Back With Rubberized Cuff

SK0034

Standard Shoulder Blue Cow Split Leather Gunn Pattern With Rubbeized Safety Cuff

WOWNER HALF WALL TO BE

SK0035

Cluthe Pattern Cowhide Leather Gloves With Knit Wrist

SK0036

Standard Shoulder Yellow Cow Split Leather Gunn Pattern With Rubbeized Safety Cuff

SK0037

Thermo Linde Black Split Cowhide Gloves Gunn Pattern Wing Thumb And Safety Cuff Fleece Lined

Multi Color Furniture Leather Gunn Pattern Patch Palm Strched Cuff Single

SK0039

Golden Yellow Joint Leather Past Palm Gunn Pattern Knuckle Strap Rubberized Cuff

Golden Yellow Joint Leather Patch Palm 2 1/2 Gunn Pattern Knuckle Strap Rubberized Cuff

SK0038

Leather Working Gloves

SK0040





Rugged Top Grain Pigskin Plam And Knuckle Strap Canvas Back Gunn Cut With 2 1/2" Rubbericed Safety Cuff

SK0042

Cowhide Split Leather Pasted Palm And Canvas Back With Rubberized Cuff

SK0043

Topgrain Gray Cowhide Split Leather Fully Palm And Canvas Back With Rubberized Cuff



SK0044

Cowhide Leather With Fully Palm Gunn Cut 2 1/2 Rubberized Cuff

sale03@cnsecurer.com

SK0045

Topgrain Gray Cowhide Split Leather Reinforced Palm And Canvas Back With Rubberized Cuff

Topgrain Gray Cowhide Split Leather **Reinforced Palm And Canvas** Back With Rubberized Cuff

SK0047

Topgrain Gray Cowhide Split Leather Full Palm And Canvas Back With Rubberized Cuff


Topgrain Gray Cowhide Split Leather Full Palm And Canvas Back With Rubberized Cuff

SK0046

Leather Working Gloves

SK0048





Topgrain Gray Cowhide Split Leather Full Palm And Canvas **Back With Rubberized Cuff**

SK0050

Topgrain White Cowhide Leather Reinforced Palm With Cotton Canvas **Back With Rubberized Cuff**

SK0051

Topgrain Gray Cowhide Split Leather Full Palm And Canvas Back With Rubberized Cuff

SK0052

Topgrain Gray Cowhide Split Leather Fully Palm And Canvas Back With Rubberized Cuff

sale03@cnsecurer.com

SK0053

Fugged Top Garin Cowhide Palm And Knuckle Strap Canvas **Back With Rubberized Cuff**



Topgrain Gray Cowhide Split Leather Full Palm And Canvas **Back With Rubberized Cuff**

www.secureglove.com

SK0054

Topgrain Gray Cowhide Split Leather Full Palm And Canvas Back With Rubberized Cuff

Leather Working Gloves

SK0056

Fugged Top Garin Cowhide Palm And Knuckle Strap Canvas **Back With Rubberized Cuff**





Fugged Top Garin Cowhide Palm And Knuckle Strap Canvas **Back With Rubberized Cuff**

SK0058

Topgrain Gray Cowhide Split Leather **Reinforced Palm And Canvas Back With Rubberized Cuff**

SK0059

CONTRACTOR CONTRACTOR OF CONTR


Fugged Top Garin Cowhide Palm And Knuckle Strap Canvas Back With Rubberized Cuff

SK0060

Cowhide Split Leather With Fully Palm Cotton Canvas Back With Rubberized Cuff

SK0061

Cowhide Leather With Fully Palm Gunn Cut 2 1/2 Rubberized Cuff



SK0063

Topgrain Gray Cowhide Split Leather Fully Palm And Canvas **Back With Rubberized Cuff**

Cowhide Leather With Fully Palm Gunn Cut 2 1/2 Rubberized Cuff

www.secureglove.com



With Fully Palm Cotton Canvas **Back With Rubberized Cuff**

Leather Working Gloves

SK0064



Lightbrown Rugged Split Leather **Driver With Keystone Thumb Gloves Without Lined.**

SK0066

Goden Split Leather Driver With Keystone Thumb Shirred Elastic Back With Fleece Lined

SK0067

Brown Split Leather Driver With Keystone Thumb Shirred Elastic **Back Without Lined**



Light Brown Cowhide Split Leather **Driver With Double Keystone Thumb** Shirred Elatic With Fleece Lined





Darkbrown Rugged Split Leather **Driver With Keystone Thumb** Gloves Without Lined.

Mechanic Gloves With Light Brown Cowhide Leather Spandex Fabric Back



Golden Rugged Split Leather Driver With Keystone Thumb Gloves Without Lined.

Golden Rugged Split Leather Driver With Keystone Thumb Gloves With Fleece Lined.

www.secureglove.com

SK0070



18 🕑

Driver Gloves

SK0072







Pearl Gray Split Leather Driver **Gloves With Keystone Thumb** With Pile Lining






Japan Style Cowhide Split Leather Gloves With Gunn Pattern



Cowhide Split Leather Cluthe Pattern With Knit Wrist Gloves



Q

Mechanic Gloves With Gray Cowhide Leather & Spandex Fabric Back

19


sale03@cnsecurer.com

SK0077

saannaananaa Kursoonaanaa Kursoonasiise Kurinnaanaanaa

Top Grain Cowskin Leather **Double Palm Cluthe Pattern** With Knit Wrist

A Grade Pigskin Grain Driver **Gloves Keystone Thumb** Shirred Elastic Back Unlined.



Cowgrain Driver Gloves Beige Color With Keystone Thumb Shirred Elastic Hemmed Cuff Unlined

Cowgrain Driver Gloves Beige Color With Keystone Thumb Shirred Elastic Hemmed Cuff Unlined

20 🕑

www.secureglove.com

Driver Gloves



SK0078

SK0080








A Grade Goatskin Grain Driver Gloves Keystone Thumb Shirred Elastic Back Unlined.



A Grade Cowskin Grain Driver **Gloves Keystone Thumb Shirred** Elastic Back Unlined.



A Grade Cowskin Grain Driver **Gloves Keystone Thumb Shirred** Elastic Back With Fleece Lined.



Premium Cowskin Driver Gloves Adhystable Strap Back Keystone Thumb Unlined

19

SK0085

Golden Cowgrain Driver Gloves With Keystone Thumb Shirred Elastic Back Hemmed Cuff Unlined Beige Cowgrain Driver Gloves With Keystone Thumb Shirred Elastic Back Hemmed Cuff Unlined



Light Yellow Cowgrain Driver Gloves With Keystone Thumb Shirred Elastic Back Hemmed Cuff Unlined



Unlined

Driver Gloves

SK0086



Beige Piggrain Driver Gloves With Keystone Thumb Shirred Elastic Back Hemmed Cuff










Topgrain Cowhide Palm Split Cowhide Back Potect With Kevlar Sewn Unlined



Topgrain Cowhide Double Yellow Palm Split Cowhide Back Potect With Kevlar Sewn Unlined



Topgrain Cowskin Leather With Spandex Fabric Back Double Palm Shirred Elatic Hemmed Cuff Unlined



Mechanic Gloves Goat Skin Leather With Spandex Fabric Back Hook&loop Closure

SK0093

Premium Cowgrain Leather Driver Gloves Shirred Elastics Cuff Unlined Dark Golden Driver Gloves Cowhide Split Leather With Keystone Shirred Elastic Cuff Unlined

Driver Gloves



24 🕑

SK0094








13 Gauge High Performance Cut Resistant Liner With 3/4 Nitrile Foam Palm Coated Ansi/Astm A3



SK0096

13 Gauge High Performance Cut Resistant Liner With Polyurthane Plam Coating Ansi/Astm A3-A5





13 Gauge High Performance Cut Resistant Liner With Latex Palm Coated Ansi/Astm A3

€ 25



10 Gauge 314 Steel Cut Resistant Liner With Cowhide Leather Palm Ansi/Astm A3

Hppe Impact resistant Gloves



7 Gauge 100%cotton Meta-aramid Double Palm EN407 500°C



7 Gauge 316 Stainless Steel **High Tenacity Polyester** Gray Color Ansi/Astm A6





SK0101


13 Gauge High Performance Cut Resistant Glass Fiber Ansi/Astm A4-A5




13 Gauge High Performance Cut Resistant Glass Fiber Ansi/Astm A4-A5

www.secureglove.com









13 Gauge High Performance **Cut Resistant Glass Fiber** Ansi/Astm A4-A5



SK0104

13 Gauge High Performance Cut Resistant Glass Fiber Ansi/Astm A4-A5

SK0105

10 Gauge Meta-aramid Cotton Fiber Milky Color With 500°C EN407

• 27



10 Gauge Meta-aramid¶-aramid Cotton Fiber Yellow&white Color With 500°C EN407

sale03@cnsecurer.com





28 🕑



13 Gauge High Performance Cut Resistant Liner With Latex Coated Palm Ansi/Astm A4-A5





7 Gauge High Tenacity Polyester **316 Stainless Steel White Color** Ansi/Astm A6

www.secureglove.com



10 Gauge Seamles Knitted Para-aramid Yellow Colow Cut Resistant With Ansi/Astm A2

SK0112

7 Gauge Seamless Knitted Para-aramid Yellow Colow Cut Resistant With Ansi/Astm A2





13 Gauge High Performance Cut Resistant Liner With Tpr Anti-vibration Padding On Palm Ansi/Astm A4


• 29



SK0114

13 Gauge High Performance Cut Resistant Liner With Tpr Anti-vibration Padding On Palm Ansi/Astm A5

Hppe Impact resistant Gloves





10/7 Gauge With Para-aramid & Meta-aramid With Silicone Palm 500°C EN407

10/7 Gauge With Meta-aramid With Silicone Palm 500°C EN407





7 Gauge 316 Stainless Steel High Tenacity Polyester Gray Color Ansi/Astm A9

7 Gauge FR Polyestwe & glass Fiber Cow Leather With Anti Fire 500°C EN407

www.secureglove.com



SK0118





Blue Nitrile Gloves Fully Coated Palm With Safety Cuff




Blue Nitrile Gloves Fully Cotated Palm With Knit Wrist Cuff





13 Gauge Polyester With Zebre Nitrile **Palm Coated Gloves**



13 Gauge Polyester With Black Nitrile Palm Coated Gloves





13 Gauge Polyester With Latex **Crinkle Palm Coated Gloves**







13 Gauge Polyester With Latex Crinkle And Sandy Palm Coated Gloves

Www.secureglove.com





10 Gauge Polycotton With Latex Palm Coated Gloves



7 Gauge Orange Acrylic Liner With 3/4 Half Latex Crinkle Pam Coated Gloves





13 Gauge Polyester With Latex **Crinkle Palm Coated Gloves**



13 Gauge Nylon Shell Liner With Sandy Nitrle Coated Palm Gloves



MANI

10 Gauge Polyester With Latex Crinkle Coated Palm Gloves







7 Gauge Bleach White Polycotton Liner With Latex Coated Gloves

Pu Coated Gloves

Www.secureglove.com



13 Gauge Polyester With Nitrile Palm Gloves

Coated & Dipped Gloves

SK0134

13 Gauge Nylon Shell Liner With



Black Fully PVC Coated Gloves With Oil Resistant &chemical **Resistant Knit Liner**



200 Grams Black Industrial Latex With Yellow Liner

SK0137

Sandy Black Fully PVC Coated Gloves With Oil Resistant & chemical Resistant Jersy Liner



Green Nitrile Coated Gloves With 5mil Oil Resistant & **Chemical Resistant**


④ 35-

sale03@cnsecurer.com

Chemical Resistant Glove



Double Color With Fully PVC Jersy Liner With Oil Resistant & chemical Resistant Gloves



Anti Slip With Orangle Fully Slip **Dot PVC With Knit Liner Gloves**

www.secureglove.com

SK0140

Sandy Blue Double Palm Fully PVC **Coated With Jersy Liner Gloves**

SK0142

Black Smooth Fully PVC **Gloves With Jersy Liner**

36 🗩





Short Style Red Smooth PVC Fully Gloves With Knit Liner



Short Style Hu ntergreen Smooth PVC Fully Gloves With Knit Liner



Blue Nitrile Oil Resistant Anti Slip Gloves



Red Smooth PVC Fully **Gloves With Knit Wrist Cuff**

● 37

sale03@cnsecurer.com

Chemical Resistant Glove



Blue Color Oil Proof&chemical Resistant Ultra Anti Slip Pattern Nitrile Gloves





Oil Proof&chemical Resistant Ultra-soft Anti Slip Pattern **PVC Glove**



Gloves

www.secureglove.com

SK0148


Black Smooth&sandy Double Coatte PVC Fully Gloves



SK0150

Anti-cut Fiber With 2 Ply Nitrile Coated Long Cuff With Knit Liner





0

"

SK0152

8oz Cotton Canvas Garden Working Gloves



7 Gauge Bleach White Polycotton Liner With Black PVC Dots Gloves




SK0154

7 Gauge Natural White Polycotton Liner With Balck Double Side PVC Dots Gloves

sale03@cnsecurer.com

SK0155

7 Gauge 80%cotton Natural White String Knit Gloves









7 Gauge Polycotton Natural White With Double Side PVC Dots Gloves

www.secureglove.com

General Working Gloves

SK0156

7 Gauge Polycotton Belach White String Knit Gloves

SK0158

10 Gauge Polycotton Liner With PVC Dots Gloves



7 Gauge 100%cotton Natural White String Knit Gloves



7 Gauge Polycotton Long Size Natural White String Knit Gloves



13 Gauge Polyester Liner With Mini PVC Dots Gloves





7 Gauge Polyester And Cotton With Black PVC Dots Gloves

sale03@cnsecurer.com

SK0163

99900000000

10 Gauge Polycotton Bleach White With Blue Pvc Dots Gloves



8oz Cotton Canvas With PVS Dots Gloves

www.secureglove.com







Natural Latex With Blue&yellow Color Household Gloves Unlined



Natural Latex With Milky Color Househould Gloves Unlined



Natural Latex With Yellow Color Househould Gloves Unlined

• 43



Natural Latex With Black Color Househould Gloves Unlined





Natural Latex With Green Color Househould Gloves Long Size Unlined





Natural Latex With Design Blue Color Househould Gloves Long Size With Lined

With Lined

Natural Latex With White Color **Househould Gloves Unlined**



SK0172

Natural Latex With Pink Color Househould Gloves Long Size

SK0174





Disposable purple nitrile gloves

SK0181

www.secureglove.com

Disposable White PVC Gloves

SK0182

Disposable Clear Vinyl Gloves

Disposable Gloves



Disposable White Latex Gloves



